



Material Safety Data Sheet

<p>NFPA</p>	<p>HMIS</p> <table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td style="background-color: #00FFFF;">Health Hazard</td> <td style="text-align: center; font-weight: bold;">2</td> </tr> <tr> <td style="background-color: #FFC0CB;">Fire Hazard</td> <td style="text-align: center; font-weight: bold;">1</td> </tr> <tr> <td style="background-color: #FFFF00;">Reactivity</td> <td style="text-align: center; font-weight: bold;">0</td> </tr> </table>	Health Hazard	2	Fire Hazard	1	Reactivity	0	<p>Personal Protective Equipment</p> <p style="text-align: center;">See Section 15.</p>
Health Hazard	2							
Fire Hazard	1							
Reactivity	0							

Section 1. Chemical Product and Company Identification		<i>Page Number: 1</i>
Common Name/ Trade Name	Citric acid	Catalog Number(s). YY1295, C1282, XX225, YY1143, XX499, XX528, C1280, C1281, CI131, CI133
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	CAS# 77-92-9
Commercial Name(s)	Not available.	RTECS GE7350000
Synonym	2-Hydroxy-1,2,3-propanetricarboxylic acid	TSCA TSCA 8(b) inventory: Citric acid
Chemical Name	Citric Acid	CI# Not available.
Chemical Family	Not available.	<p>IN CASE OF EMERGENCY CHEMTREC (24hr) 800-424-9300 CALL (310) 516-8000</p>
Chemical Formula	C6H8O7	
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	

Section 2. Composition and Information on Ingredients					
Name	CAS #	<i>Exposure Limits</i>			% by Weight
		TWA (mg/m ³)	STEL (mg/m ³)	CEIL (mg/m ³)	
1) Citric acid	77-92-9				100
Toxicological Data on Ingredients		Citric acid: ORAL (LD50): Acute: 5040 mg/kg [Mouse]. 3000 mg/kg [Rat].			

Section 3. Hazards Identification	
Potential Acute Health Effects	Hazardous in case of eye contact (irritant), of inhalation (lung irritant). Slightly hazardous in case of skin contact (irritant, sensitizer), of ingestion. The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Severe over-exposure can produce lung damage, choking, unconsciousness or death.

Continued on Next Page

Potential Chronic Health Effects	Slightly hazardous in case of skin contact (sensitizer). CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to teeth. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.
---	---

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Serious Inhalation	Not available.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Serious Ingestion	Not available.

Section 5. Fire and Explosion Data

Flammability of the Product	May be combustible at high temperature.
Auto-Ignition Temperature	1010°C (1850°F)
Flash Points	Not available.
Flammable Limits	LOWER: 0.28 Kg/M3 (Dust) UPPER: 2.29 Kg/M3 (Dust)
Products of Combustion	These products are carbon oxides (CO, CO2).
Fire Hazards in Presence of Various Substances	Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks.
Explosion Hazards in Presence of Various Substances	Slightly explosive in presence of open flames and sparks. Non-explosive in presence of shocks.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Special Remarks on Fire Hazards	As with most organic solids, fire is possible at elevated temperatures
Special Remarks on Explosion Hazards	Fine dust dispersed in air in sufficient concentrations, and in the presences of an ignition source is a potential dust explosion hazard.

Section 6. Accidental Release Measures

Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.
Large Spill	Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7. Handling and Storage

Precautions	Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe dust. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, reducing agents, metals, alkalis.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Safety glasses. Lab coat. Gloves (impervious). Dust respirator. Be sure to use an approved/certified respirator or equivalent. The dust respirator should be used for conditions where exposure has exceeded recommended exposure limits, dust is apparent, and engineering controls(adequate ventilation) are not feasible.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	No exposure guidelines have been established. ACGIH, NIOSH and OSHA have not developed exposure limits for this product. The exposure limits given below are for particulates not otherwise classified: ACGIH: 10 mg/m ³ TWA (Total Inhalable fraction); 3 mg/m ³ TWA (Respirable fraction) OSHA: 15 mg/m ³ TWA (Total dust); 5 mg/m ³ TWA (Respirable Fraction)

Section 9. Physical and Chemical Properties

Physical state and appearance	Solid. (Crystalline powder. Granular solid.)	Odor	Odorless.
Molecular Weight	192.13 g/mole	Taste	Acid. (Strong.)
pH (1% soln/water)	Not available.	Color	Not available.
Boiling Point	Decomposes.		
Melting Point	153°C (307.4°F)		
Critical Temperature	Not available.		
Specific Gravity	1.665 (Water = 1)		
Vapor Pressure	Not applicable.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	The product is more soluble in water; log(oil/water) = -1.7		
Ionicity (in Water)	Not available.		

Continued on Next Page

Dispersion Properties	See solubility in water, diethyl ether.
Solubility	Soluble in cold water, hot water, diethyl ether. Insoluble in benzene.

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Excess heat, incompatible materials
Incompatibility with various substances	Reactive with oxidizing agents, reducing agents, metals, alkalis.
Corrosivity	Corrosive in presence of aluminum, of zinc, of copper. Non-corrosive in presence of glass.
Special Remarks on Reactivity	Incompatible with oxidizing agents, potassium tartrate, alkali, alkaline earth carbonates and bicarbonates, acetates, and sulfides, metal nitrates
Special Remarks on Corrosivity	Will corrode copper, zinc, aluminum and their alloys.
Polymerization	Will not occur.

Section 11. Toxicological Information

Routes of Entry	Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 3000 mg/kg [Rat].
Chronic Effects on Humans	May cause damage to the following organs: teeth.
Other Toxic Effects on Humans	Hazardous in case of inhalation (lung irritant). Slightly hazardous in case of skin contact (irritant, sensitizer), of ingestion.
Special Remarks on Toxicity to Animals	LDL[Rabbit] - Route: oral; Dose: 7000mg/kg
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: Causes mild to moderate skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material. Eyes: Causes moderate to severe eye irritation and possible injury. Ingestion: May cause gastrointestinal (digestive) tract irritation with nausea, vomiting, diarrhea. Excessive intake may cause erosion of teeth and hypocalcemia (calcium deficiency in blood). May affect behavior/central nervous system (tremor, convulsions, muscle contraction or spasticity). Inhalation: Causes moderate respiratory tract and mucous membrane irritation. Chronic Potential Health Effects: Frequent intake of citrated beverages may cause erosion of dental enamel and irritation of mucous membranes.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The product itself and its products of degradation are not toxic.

Continued on Next Page

Special Remarks on the Products of Biodegradation Not available.

Section 13. Disposal Considerations

Waste Disposal Waste must be disposed of in accordance with federal, state and local environmental control regulations.


Section 14. Transport Information

DOT Classification Not a DOT controlled material (United States).

Identification Not applicable.

Special Provisions for Transport Not applicable.

DOT (Pictograms)



Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations TSCA 8(b) inventory: Citric acid

California Proposition 65 Warnings California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found.
California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.

Other Regulations EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances (EINECS No. 201-069-1).
Canada: Listed on Canadian Domestic Substance List (DSL).
China: Listed on National Inventory.
Japan: Listed on National Inventory (ENCS).
Korea: Listed on National Inventory (KECI).
Philippines: Listed on National Inventory (PICCS).
Australia: Listed on AICS.

Other Classifications	WHMIS (Canada) CLASS E: Corrosive solid.	
	DSCL (EEC) R36/37/38- Irritating to eyes, respiratory system and skin.	S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39- Wear suitable gloves and eye/face protection.


HMIS (U.S.A.)	Health Hazard 2	National Fire Protection Association (U.S.A.)		Flammability
	Fire Hazard 1			Reactivity
	Reactivity 0			Specific hazard
	Personal Protection e			Health

WHMIS (Canada) (Pictograms)

**DSCL (Europe)
(Pictograms)**



**TDG (Canada)
(Pictograms)**



**ADR (Europe)
(Pictograms)**



Protective Equipment



Gloves (impervious).



Lab coat.



Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.



Safety glasses.

Section 16. Other Information

MSDS Code C4370

References Not available.

Other Special Considerations Not available.

Validated by Sonia Owen on 1/11/2008.

Verified by Sonia Owen.

Printed 1/21/2008.

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.